

W360 Interior Landscape / Aquascape Light

80W LED / 15°



- Plant / Coral Focused Light Spectrum
- High-Intensity Point Source LED
- Low-Profile
- DMX Controllable
- Also Available with Other Optics

ORDERING GUIDE

KSW360S - - - - -

Spectrum

AMZ Amazon Sun (4000 - 6500K)
TB Tuna Blue
 (10000 - 20000K)

Finish

WH White
BK Black

Mount

TG w/ G-type Track Adapter
TEX w/ E-type DMX Track Adapter
CLP w/ Clamp Mount

Power Supply & Control

PS Power Supply
PSX Power Supply w/ DMX (only with TEX mount)

Plug/Connection


US US 120V
EU EU 220V

SPECIFICATIONS

Beam Angle	15°
Spectrum Type	AMZ : Plant Flourish & Growth TB : Coral Health & Growth
Control	Intensity (0% - 100%), CCT
LED Source	DiCon Dense Matrix LED
Power Draw	80W Max
AC Input Voltage	100 - 240V AC, 60Hz
Cooling	Fan Cooled
Operating Temperature	32 - 104°F (0 - 40°C)
Fixture Weight	1.3lb (~0.6kg)
Power Supply Weight	1.2lb (~0.5kg)


MECHANICAL FIGURES

Kessil W360 Interior Landscape / Aquascape Light




PHOTOMETRIC DATA

AMZ




Distance		5' [~1.5 m]	8' [~2.4 m]	12' [~3.7 m]
@4000K	fc	1103	346	175
	lux	11869	3722	1887
@6500K	fc	1116	350	178
	lux	12016	3768	1911
Beam Diameter		Ø 1.5' [0.5 m]	Ø 2.4' [0.7 m]	Ø 3.6' [1.1 m]

Beam Angle : 15°



TB



Distance		5' [~1.5 m]	8' [~2.4 m]	12' [~3.7 m]
@10000K	fc	310	136	62
	lux	3337	1461	672
@20000K	fc	566	248	114
	lux	6088	2665	1228
Beam Diameter		Ø 1.4' [0.4 m]	Ø 2.3' [0.7 m]	Ø 3.4' [1.0 m]

Beam Angle : 130°

